(5/4/






- GAMINAC - AFIZC - AFIAC -GAMIZC - GAMINAC - AFIZC - AFIAC -GAM



GAM/2C



GAM/4C





RANGE OF USE: The series of movable asirators GAM/AF may be used wherever dust and scraps deriving from wood, rubber or plastic working material make suction necessary filtering.

HANDLING: Owing to the fact that these aspirators are settled on a trolley, the groups GAM/2C (or Bifoglio), namely with two filtering modules, and GAM/4C (or Quadrifoglio), with four filtering modules, are particularly suitable, when frequent shifts are needed for machinery cleaning. The series AF/2C and AF/4C have the same good qualities, which are: sturdy, handy and reliable, and with the only difference that instead of the trolley the are fixed to strong legs.

SUCKING CAPACITY AND STRENGH - CAPACITY OF CONTENT - BIG FILTERING SURFACE AREA: For its original shape and conception of the whole structure GAM/4C and AF/4C (or Quadrifoglio) may be useful, even in a very small space, for its considerable filtering qualities and great capacity of content, for any scrap product deriving from wood or metal working. Therefore it may be said that its efficiency in filtering and the overall autonomy of the group

The series GAM/AF may be used with some economical advantage in the running costs of middle-size equipments, if several units are placed conveniently, according to the plant structure.

ENERGY SAVING: With the series GAM/AF the energy saving is remarkable, particularly in winter, when warm air,

perfectly filtered, is brought out again into the work room.

FILTERING BAGS IN SPECIAL TISSUE: Our filtering bags are made of a very strong special tufted left (type A) that gives greater efficiency in filtering and much less load loss in comparison with traditional tissues, such as cotton. Obviously many types of tissues are produced, according to different types of dust they have to filter.

Upon client's request, the lower bag may be replaced with a filtering bag. Furthermore, as an option, we can supply special heavyduty filtering cartridges.

CAN BE COMPLETELY TAKEN APART: The group GAM/AF series can be taken to piecs and yhe price os sale is inclusive of cardboard packaging. Upon request it may be crated or send by sea in suitable chests. We suggest this type of packaging because it prevents damage during transport. In this case it must be taken into to account that overall dimensions have an increase of about 5 cm x A, 5 cm x B, 11.5 cm x H, in comparison with figures scheduled for cardboard packega.

Four salvage dump plastic bags for each group are already supplied with each filtering unit.

FITTING AND SPARE PARTS: Flexible tube, air locks, bags, feed openings, mufflers AFON, etc. (pls. see our generale








-Pls. check on FIL cartridge filters leaflet for further models or details

		FIL/45/660/A	FIL/50/660/A	FIL/45/1000/A	FIL/50/1000/A
Неіднт	mm/inch	660/26	660/26	1000	1000
INNER DIAMETER	mm/inch	450/18	500/20	450/18	500/20
FILTER SURFACE	m²/Sq.Ft	6,5/70	7/77	10,5/112	11/118
CARDBOARD PACKING	mm inch	AxBxH 552x552x670 22x22x26		AxBxH 552x552x1010 22x22x40	
FILTERING MATERIAL		Polyeste	r		



		Overall dimensions				
		Assembled unit	Cardboard packing	Gross weight		
		AxBxH	AxBxH	Kg/LBS		
GAM/2C	cm inch	165x67x320 65"x26"3/8x126"	167x130x90 65" 3/4x51" 3/16x35" 7/16	111/245		
GAM/2C	cm inch	165x67x320 65"x26"3/8x126"	167x130x90 65" 3/4x51" 3/16x35" 7/16	123/272		
GAM/2C	cm inch	165x67x320 65"x26"3/8x126"	167x130x90 65" 3/4x51" 3/16x35" 7/16	130/287		
GAM/4C	cm inch	135x135x320 53"x53"x126"	185x137x90 73"x54"x35" 7/16	130/371		
GAM/4C	cm inch	135x135x320 53"x53"x126"	185x137x90 73"x54"x35" 7/16	175/386		
GAM/4C	cm inch	135x135x320 53"x53"x126"	185x137x90 73"x54"x35" 7/16	191/421		

Motor



60 Hz on request -

3 PH 50 Hz								
	Max delivery	Power	Speed	Voltage	Filtering surface	Intake opening	Filtering bag	Stocking capacity
	m³/h/c.f.m.	HP/kW	g/min	V	m²/Sq.Ft	Ømm/Øinch	Ømm/Øinch	m³/Cubic Ft.
GAM/2C AF/2C	6300 / 3780	3 / 2,2	2800	230/400	5,4 / 58	250 / 9" 7/8	500 / 19" 11/16	0,5 / 18
GAM/2C AF/2C	6400 / 3840	4/3	2800	230/400	5,4 / 58	250 / 9" 7/8	500 / 19" 11/16	0,5 / 18
GAM/2C AF/2C	6550 / 3930	5,5 / 4	2800	400/690	5,4 / 58	250 / 9" 7/8	500 / 19" 11/16	0,5 / 18
GAM/4C AF/4C	6300 / 3780	4/3	2800	230/400	10,8 / 117	250 / 9" 7/8	500 / 19" 11/16	1 / 35
GAM/4C AF/4C	7400 / 4440	5,5 / 4	2800	400/690	10,8 / 117	250 / 9" 7/8	500 / 19" 11/16	1 / 35
GAM/4C AF/4C	8850 / 5310	7,5 / 5,5	2800	400/690	10,8 / 117	315 / 12" 3/8	500 / 19" 11/16	1 / 35

Values on this catalogue are indicative and can be subject to modification and improvements. CORAL reserves the right to change them without previous advice.



CORAL s.p.a.

SOCIETÀ DI ENGINEERING - SOCIETÉS D'INGENIERIE - ENGINEERING COMPANIES - INGENIEURFIRMEN - SOCIEDADES DE INGENIERIA